## DESIGNATED EROSION CONTROL INSPECTOR PROGRAM

Lake County
Stormwater Management Commission

Kurt Woolford, P.E., Regulatory Engineering Supervisor

#### What It's Not

- It's Not Difficult Training and Application
- It's Not Expensive Uses Existing Personnel
- ⇒ It's Not Complicated Basic Reporting Structure
- ⇒ It's Not New
  - Modeled after other regional programs (MI, DE, GA)
  - Uses basic NPDES structure
  - Adopted in January 2006 WDO Amendments
  - 'Trigger' clause initiated program April 1, 2007

#### Hyenda

- ➡ What is a DECI?
- Goals of the DECI program
- When is a DECI required?
- ⇒ How do I become listed as a DECI?
- Requirements and standards
- Exam overview and upcoming dates
- FAQs and questions from the audience

#### What is a DECIP Mek-eel -noun

- Liaison between Applicant/Developer and E.O.
- ⇒ Person responsible for inspecting and documenting compliance and on-going maintenance of the approved soil erosion and sediment control plan measures of a development
- Employed by the permit applicant, not the enforcement agency
- Synonyms: Missing Link, Hero, ???

#### Goals of the DECI Program

- Increased awareness and monitoring of soil erosion and sediment control (SE/SC)
- ⇒ Improved communication between enforcement agency and developer for SE/SC issues
- Reduction of suspended sediment levels in receiving streams and lakes
- Ultimately improved water quality

## When is a DECI required?

- ⇒ DECI is required for all regulated developments within Lake County (Certified and Non-Certified Communities) that:
  - 1. Hydrologically disturb more than 10 acres; or
  - Hydrologically disturb more than 1 acre <u>AND</u>
     regulatory floodplain or wetlands (isolated or U.S.
     waters) exist on-site or on adjoining properties

#### How Do I Become Listed as a DECLP

- ⇒ A DECI is required to meet these minimum qualifications to be SMC-listed:
  - Complete SMC-approved SE/SC course
  - Pass DECI exam administered by SMC
  - Certified Professional in Erosion and Sediment Control (CPESC) designation <u>OR</u> two years cumulative experience in the Upper Midwest Region on SE/SC inspections
- Submit statement of qualifications in the areas above and request to be included on the SMC DECI qualified listing

## Maintaining Listing Status

- ⇒ DECI listing officially updated every 3 years by SMC
- ➡ Minimum of 24 work-related PDHs within 3-year period to qualify for re-listing. Documentation shall be selfmonitoring and shall be provided to SMC upon application for listing.
- SMC has authority and responsibility to suspend DECI's listing status for repeated or recurring non-compliance
- De-listing procedure includes formal notification to DECI with a request for response. Inadequate response results in a strike. Three strikes during listing period results in de-listing.

## Requirements and Standards

- → Applicant submits name of DECI to Enforcement Officer (E.O.) at or before pre-construction meeting or commencement of hydrologic disturbance
- Pre-construction meeting should be held before any disturbance including installation of SE/SC measures

## Inspection Requirements

- Required and recommended DECI inspection points:
  - 1. Required: Upon completion of installation of sediment and runoff control measures (including perimeter controls and diversions), prior to proceeding with any other earth disturbance or grading (Required E.O. inspection)
  - 2. Required: After every 7 calendar days or storm event with greater than 0.5-inch of rainfall *or liquid equivalent precipitation*
  - 3. Recommended: After stripping and clearing

## Inspection Requirements (cont.)

- 4. Recommended: After rough grading
- 5. Recommended: After final grading
- 6. Recommended: After seeding and landscaping
- 7. Recommended: After final stabilization and landscaping, prior to removal of sediment controls (Required E.O. inspection)
- Sample Inspection Form

# Documentation & Communication Requirements

- Direct communication with E.O.
- Keep copy of E.O.-approved SE/SC plans at the development site at all times
- Keep written log of all inspections containing conditions of SE/SC measures and any corrective actions needed
- ⇒ Keep DECI log at site at all times and make available for inspection upon request of E.O.

# Documentation & Communication Requirements (cont.)

- Notify E.O. within 24 hours when development site is determined to be not in compliance with WDO or approved SE/SC plans and propose corrective measures to be taken
- Recommend additional SE/SC prevention measures to applicant, if necessary, to reduce sediment leaving a development
- Non-compliant contractor becomes E.O. issue as long as DECI performs as required

#### DEGI Exam

- 120 multiple choice questions based on mixture of WDO requirements and field application experience
- Includes 20 questions based on interpreting a specific plan set
- "Open book"
- ■3 hour time limit

#### **DECLEXam Dates**

Sign up today for one of the following exam dates:

- ■Tuesday, April 28, 1:00-4:00 pm, Antioch Lake Villa Township Center, 1625 Deep Lake Road, Lake Villa
- Thursday April 30, 9:30-12:30 pm, Vernon Area
   Public Library, 300 Olde Half Day Road, Lincolnshire

#### Frequently Asked Questions

- Is there alternative training for SMC-approved training?
- Does a DECI need to perform inspections during the winter months if there is no activity on the job site?
- When are DECI responsibilities no longer required on a job site?

## Questions?

http://lakecountyil.gov/Stormwater/FloodplainStormwaterRegulations/ ForCommunities/DesignatedErosionControlInspector.htm

Thank You!